



A Review on *Aloe vera*

Aman Milind^{1*}, Md. Zulphikar Ali², Himani Tiwari³ and Kaushal Kishor Chandrul⁴

1, Student of B. Pharm. 4th Year; 2, Assistant Professor; 3, HOD; 4, Principal

Department of Pharmacy, Mewar University, Gangrar Chittorgarh, (R.J.) - India

Article info

Received: 16/12/23

Revised: 20/01/2024

Accepted: 27/01/2024

© IJPLS

www.ijplsjournal.com

Abstract

Aloe vera is a natural product that's now a day constantly used in the field of cosmetology. Though there are colourful suggestions for its use, controlled trials are demanded to determine its real efficacy. The *Aloe vera* factory has been known and used for centuries for its health, beauty, medicinal and skin care parcels. The name *Aloe vera* derives from the Arabic word "Alloeh" meaning "shining bitter substance," while "vera" in Latin means "true." 2000 years ago, the Greek scientists regarded *Aloe vera* as the universal nostrum. The Egyptians called *Aloe* "the factory of eternity." moment, the *Aloe vera* factory has been used for colourful purposes in dermatology.

Aloe vera is gel from the leaves of aloe shops. People have used it for thousands of times for mending and softening the skin. *Aloe* has also long been a folk treatment for numerous distemperatures, including constipation and skin diseases. ultramodern- day exploration into *aloe vera*'s benefits is mixed, with some substantiation showing it can beget cancer in lab creatures.

Keywords: *Aloe vera*, Natural Products, Disease

Introduction

Aloe vera, a natural product widely utilized in the field of cosmetology, is currently gaining significant attention. While there are various suggestions regarding its applications, it is essential to conduct controlled trials to ascertain its actual effectiveness. For centuries, the *Aloe vera* plant has been recognized and employed for its health, beauty, medicinal, and skincare properties. The term "*Aloe vera*" originated from the Arabic word "Alloeh," which translates to "shining bitter substance," while "vera" in Latin means "true." Greek scientists regarded *Aloe vera* as a universal remedy around 2000 years ago, and the Egyptians referred to it as "the plant of eternity." Presently, *Aloe vera* finds diverse applications in dermatology. It is derived from the gel found in the leaves of aloe plants and has been

used for centuries to heal and moisturize the skin. *Aloe vera* has also been traditionally used as a remedy for various ailments, including constipation and skin disorders. However, recent scientific studies on the benefits of *Aloe vera* have yielded mixed results, with some evidence suggesting its potential to induce cancer in laboratory animals.

***Corresponding Author**

History

For centuries, Aloe vera has held a significant place in the realm of medicine across various cultures, including Greece, Egypt, India, Mexico, Japan, and China. Renowned figures such as Nefertiti, Cleopatra, Alexander the Great, and Christopher Columbus recognized its therapeutic value, incorporating it into beauty regimens and utilizing it for treating wounds. The first mention of Aloe vera in English can be traced back to John Good yew's translation in 1655 of Dioscorea's Medical treatise, *De Materia Medica*. While initially employed as a laxative in the early 1800s in the United States, its potential in medical applications gained prominence in the mid-1930s with successful treatment of severe radiation dermatitis. Aloe vera, a stemless succulent, exhibits thick fleshy leaves ranging in color from green to grey-green, adorned with small white teeth along the serrated margins. During summer, the plant produces pendulous yellow tubular flowers on tall spikes. Additionally, Aloe vera forms arbuscular mycorrhiza, a beneficial symbiotic relationship enhancing its access to mineral nutrients in the soil.

Anatomy

The impressive Aloe vera plant possesses distinct characteristics, such as triangular-shaped fleshy leaves with serrated edges, vibrant yellow tubular flowers, and fruit containing numerous seeds. The leaves themselves consist of three distinct layers, each serving a specific purpose. The inner layer holds a transparent gel, primarily composed of water (approximately 99%), along with essential components like glucomannans, amino acids, lipids, sterols, and vitamins. In contrast, the middle layer contains the bitter yellow sap known as latex, which contains anthraquinones and glycosides. Acting as a protective barrier, the outer layer, known as the rind, consists of 15-20 cells responsible for carbohydrate and protein synthesis. Within the rind, vascular bundles are found, responsible for transporting substances like water (xylem) and starch (phloem). Aloe vera contains an impressive assortment of active components, including 75 potentially active constituents such as vitamins, enzymes, minerals, sugars, lignin, saponins, salicylic acids, and amino acids.

Biological Compounds

Aloe vera latex and gel contain bioactive substances that exhibit diverse physiological effects, either independently or in synergy. The composition of Aloe vera can vary based on factors like climate, region, growing conditions, plant age, and processing techniques. The primary constituents of Aloe vera include anthraquinones, which are phenolic compounds found in the latex. These compounds possess potent laxative, antibacterial, analgesic, and antiviral properties. However, it is important to note that anthraquinones may also have adverse effects such as genotoxicity, mutagenicity, and tumor promotion. On the other hand, Aloe vera gel is rich in polysaccharides, with acemannan being the most active among them. Acemannan has been associated with antiviral, antibacterial, wound healing, immunostimulatory, radiation-protective, and hematopoietic activities. The gel also contains water, polysaccharides, vitamins, enzymes, and steroids. It is worth mentioning that the biological activities of the gel can degrade upon exposure to air, underscoring the importance of using fresh gel whenever possible. While Aloe vera gel has demonstrated therapeutic benefits, rare cases of adverse effects such as eczema, allergic dermatitis, and an increase in circulating leukocyte count have been reported, potentially attributed to immune system stimulation.

Mechanism of Actions - Uses and Applications

Aloe vera finds extensive applications in the cosmetics, food, and medical industries due to its versatile properties. In cosmetics, Aloe vera gel, latex, and whole leaf extract are widely utilized for their moisturizing and soothing effects. These ingredients can be found in various products such as moisturizers, cleansers, sun lotions, toothpastes, and shampoos. The concentration of Aloe vera in cosmetic formulations typically ranges from 1 to 98%. To ensure safety, the levels of anthraquinones, a component of Aloe vera, should not exceed 50 ppm in cosmetics to avoid phototoxicity. The Food and Drug Administration (FDA) in the United States has approved the external use of Aloe vera gel as a cosmetic ingredient.

In the food industry, Aloe vera is employed in functional foods and beverages, including yogurt and health drinks like tea. Aloe vera gel can also

serve as an edible coating for fresh produce, helping to extend their shelf life by preserving functional compounds such as phenolics and ascorbic acid. Aloe vera possesses antimicrobial properties, inhibiting the growth of microorganisms responsible for foodborne illnesses and spoilage. It can serve as a natural and environmentally-friendly alternative to synthetic preservatives.

Medicinally, Aloe vera has a history of use in wound healing due to its polysaccharides and the growth hormone gibberellins, which promote the formation of collagen and elastin. The presence of mucopolysaccharides (MPS) in Aloe vera contributes to its remarkable healing capacity. Aloe vera has also demonstrated efficacy in the treatment of scar tissue and prevention of scar formation following skin injuries, possibly attributed to the presence of amino acids necessary for new cell formation.

Aloe vera exhibits a range of beneficial effects on the skin and the body. Its enzymes facilitate the regeneration of deep skin layers, aiding in the healing process. The presence of salicylic acid in Aloe vera imparts anti-inflammatory and analgesic properties, inhibiting the production of prostaglandins, thereby making it useful in addressing conditions such as arthritis and joint-related issues. Aloe polysaccharides enhance immune activity, while lectins may contribute to its therapeutic effects on burns and ulcers.

Aloe vera has shown potential in the treatment of ulcers, including mouth ulcers, herpes simplex, and psoriasis. It also exhibits protective effects against gastric ulcers. The plant's polysaccharides, along with certain inorganic elements, contribute to its antidiabetic activities by reducing blood glucose and lipid levels. Aloe vera demonstrates antioxidant properties comparable to α -tocopherol (vitamin E), with its antioxidant activities varying depending on the growth stage of the plant.

The anthraquinones present in Aloe vera latex act as potent laxatives, stimulating intestinal peristalsis. Aloe vera also exhibits antibacterial properties against various microorganisms, particularly Gram-positive bacteria responsible for food poisoning. While research on its antifungal activity is limited, Aloe vera has been reported to inhibit the growth of *Candida*. Moreover, Aloe vera shows potential antiviral and antitumor

effects, possibly through the stimulation of the immune system and the presence of anthraquinones.

In studies conducted on pathogen-free rats, Aloe vera has demonstrated promising results in addressing age-related diseases. Ongoing clinical trials aim to further explore its potential use in the treatment of HIV-AIDS and cancer.

Medicinal Uses

Aloe vera possesses remarkable properties for wound healing, attributed to its polysaccharides and gibberellins that promote collagen and elastin formation, reducing wrinkles and facilitating wound recovery. The abundant presence of mucopolysaccharides (MPS) in Aloe vera, ranging from 10,000 to 20,000 MPS per liter, plays a vital role in its high healing capacity.

In addition to wound healing, Aloe vera has shown efficacy in treating scar tissue and preventing scar formation after skin injuries. This can be attributed to the activity of amino acids necessary for new cell formation. By promoting skin cell regeneration and supporting collagen and elastin synthesis, Aloe vera aids in the healing process, resulting in reduced scar visibility and improved skin health.

Aloe vera exhibits a wide range of beneficial effects on the human body, including anti-inflammatory properties, immune system enhancement, protection against UV and X-radiation exposure, treatment of ulcers, antidiabetic activities, antioxidant activities, laxative effects, antibacterial properties, antifungal activity, and potential antiviral and antitumor activity.

The presence of salicylic acid in Aloe vera contributes to its analgesic and anti-inflammatory properties. By inhibiting prostaglandin production from arachidonic acid, it can alleviate symptoms associated with arthritis and joint-related issues. Aloe polysaccharides further enhance immune activity.

Aloe vera has been found to support the healing of first to second-degree burns, although the exact mechanisms are not fully understood. Lectin, a component of Aloe vera, is believed to play a role in its therapeutic effects.

When it comes to treating ulcers, such as mouth ulcers, herpes simplex, and psoriasis, Aloe vera has demonstrated successful outcomes. It has also

been shown to protect against gastric ulcer formation.

The polysaccharides present in Aloe vera, along with specific inorganic elements like vanadium, manganese, and copper, may contribute to its antidiabetic activities. Aloe vera has been associated with reduced blood glucose levels in diabetic individuals and lower blood lipid levels or cholesterol in individuals with hyperlipidemia.

Aloe vera exhibits antioxidant activities comparable to α -tocopherol (vitamin E), with its antioxidant potential varying based on the growth stage of the plant.

The anthraquinones present in Aloe vera latex have laxative effects, stimulating intestinal peristalsis.

Aloe vera possesses antibacterial properties, inhibiting the growth of microorganisms such as *Streptococcus pyogenes*, *Shigella flexneri*, and various *Klebsiella* species, particularly Gram-positive bacteria.

Although less extensively studied, Aloe vera has demonstrated inhibitory activity against *Candida*, suggesting potential antifungal properties. It is even used as a fish tank water conditioner for its antifungal effects.

Aloe vera's antiviral and antitumor activities are believed to result from both indirect and direct effects. Indirectly, Aloe vera stimulates the immune system, while direct effects may be attributed to anthraquinones. Ongoing clinical trials aim to provide conclusive evidence for the use of Aloe vera in the treatment of HIV-AIDS or cancer.

Promising results have been observed in studies conducted on pathogen-free rats, suggesting potential benefits of Aloe vera in addressing age-related diseases.

It is important to note that while Aloe vera has demonstrated various potential health benefits, further research and clinical trials are necessary to fully understand its mechanisms of action and establish its efficacy and safety for specific conditions.

The Use of Aloe vera in Animal Nutrition

Aloe vera has shown potential benefits in promoting growth and improving the health of chickens in various studies. The supplementation of Aloe powder, Aloe water extract, Aloe ethanol extract, or a combination of these extracts in the

diet of broiler chickens has demonstrated positive effects on production performance and immune function. Aloe water extracts, in particular, have been effective in enhancing body weight in broilers. Similar positive outcomes have been observed when Aloe vera extract was added to the drinking water of broiler chickens.

However, it is worth mentioning that some studies have reported no significant effects on body weight or feed conversion ratio in broilers fed with Aloe vera. The addition of Aloe vera to the diet has also not shown significant impacts on carcass characteristics, sensory attributes of broiler meat, abdominal fat levels, cholesterol levels in breast and thigh muscles, or serum biochemistry.

Aloe vera has shown promise in improving the immune response of broilers, as evidenced by higher haemagglutination inhibition titre values against Newcastle disease. Additionally, it has been suggested that Aloe vera can be used in the treatment and control of coccidiosis, a common poultry disease.

In laying hens, the incorporation of Aloe vera in their diet has been found to significantly improve egg production without affecting feed consumption or feed conversion ratio. Furthermore, dietary supplementation with Aloe vera extracts may help prevent or treat the effects of lead intoxication in birds.

Moreover, Aloe vera has been utilized as a natural phyto-genic growth promoter in shrimp farming, showing promising results in promoting shrimp growth.

It is important to note that while these findings indicate potential benefits of Aloe vera in chicken farming, further research is needed to determine the optimal dosage, long-term effects, and potential interactions with other factors in the production system.

Conclusion

Aloe vera is indeed a remarkable plant with a wide array of medicinal and cosmetic properties. Its gel is known to contain beneficial compounds that offer numerous advantages for human health and well-being. Traditionally, aloe vera has been used to treat various skin conditions, such as cuts, insect stings, bruises, poison ivy, and eczema. It is also recognized for its moisturizing and anti-aging

effects, helping to keep the skin hydrated and maintain a youthful appearance.

Moreover, research has explored the potential health benefits of ingesting aloe vera. It is believed to possess anti-inflammatory and antiseptic properties, which may contribute to alleviating symptoms associated with conditions like cancer and diabetes. The cosmetic industry frequently utilizes aloe vera due to its diverse properties and potential benefits.

However, while aloe vera is widely acknowledged for its potential advantages, further research is necessary to comprehensively understand its mechanisms of action and fully harness its potential benefits for human well-being. It is essential to approach the use of aloe vera with gratitude and understanding as it is a natural gift from nature. Conducting a patch test and consulting healthcare professionals, particularly if you have pre-existing medical conditions or are taking medications, is recommended to ensure its safe and appropriate use.

In conclusion, aloe vera is a versatile and invaluable plant that continues to be revered for its medicinal and cosmetic applications. Its potential benefits for skincare, wound healing, digestive health, and overall well-being make it a cherished natural remedy.

References

1. Marshall JM. Aloe vera gel: What is the evidence? *Pharma Jr.* 1990; 24:360–2.
2. Davis RH. Aloe vera: A scientific approach. New York: Vantage Press;
3. Aloe Natural Medicines website. Accessed at naturalmedicines.therapeuticresearch.com on October 14, 2019. [Database subscription].
4. <https://www.webmd.com/diet/supplement-guide-aloe-vera#1>
5. Tyler V. The honest herbal: A sensible guide to the use of herbs and related remedies. 3rd ed. Binghamton, New York: Pharmaceutical Products Press; 1993.
6. Atherton P. Aloe vera revisited. *Br J Phytother.* 1998; 4:76–83.
7. Shelton M. Aloe vera, its chemical and therapeutic properties. *Int J Dermatol.* 1991; 30:679–83.
8. Atherton P. The essential Aloe vera: The actions and the evidence. 2nd ed 1997.
9. Ro JY, Lee B, Kim JY, Chung Y, Chung MH, Lee SK, et al. Inhibitory mechanism of aloe single component (Alprogen) on mediator release in guinea pig lung mast cells activated with specific antigen-antibody reactions. *J Pharmacol Exp Ther.* 2000; 292:114–21.
10. Hutter JA, Salmon M, Stavinoha WB, Satsangi N, Williams RF, Streeper RT, et al. Antiinflammatory C-glucosyl chromone from Aloe barbadensis. *J Nat Prod.* 1996; 59:541–3.
11. Chithra R Sajithlal GB, Chandrakasan G. Influence of aloe vera on collagen characteristics in healing dermal wounds in rats. *Mol Cell Biochem.* 1998; 181:71–6.
12. Hegggers J, Kucukcelebi A, Listengarten D, Stabenau J, Ko F, Broemeling LD, et al. Beneficial effect of aloe on wound healing in an excisional wound model. *J Altern Complement Med.* 1996; 2:271–7.
13. Chithra P, Sajithlal G, Chandrakasan G. Influence of aloe vera on the glycosaminoglycans in the matrix of healing dermal wounds in rats. *J Ethnopharmacol.* 1998; 59:179–86.
14. Roberts DB, Travis EL. Acemannan-containing wound dressing gel reduces radiation-induced skin reactions in C3H mice. *Int J Radiat Oncol Biol Phys.* 1995; 32:1047–52.
15. Sato Y, Ohta S, Shinoda M. Studies on chemical protectors against radiationI: Protective effects of Aloe arborescens on skin injury induced by x-irradiation. *YakugakuZasshi.* 1990; 110:876–84.
16. Byeon S, Pelley R, Ullrich SE, Waller TA, Bucana CD, Strickland FM. Aloe barbadensis extracts reduce the production of interleukin-10 after exposure to ultraviolet radiation. *J Invest Dermatol.* 1988; 110:811–7.

17. Peng SY, Norman J, Curtin G, Corrier D, McDaniel HR, Busbee D. Decreased mortality of Norman murine sarcoma in mice treated with the immunomodulator, acemannon. *Mol Biother.* 1991; 3:79–87.
18. Hart LA, Nibbering PH, van den Barselaar MT, van Dijk H, van den Burg AJ, Labadie RP. Effects of low molecular constituents from aloe vera gel on oxidative metabolism and cytotoxic and bactericidal activities of human neutrophils. *Int J Immunopharmacol.* 1990; 12:427–34.
19. Ishii Y, Tanizawa H, Takino Y. Studies of aloe. V: Mechanism of cathartic effect. *Biol Pharm Bull.* 1994; 17:651–3.
20. Sydiskis RJ, Owen DG, Lohr JL, Rosler KH, Blomster RN. Inactivation of enveloped viruses by anthraquinones extracted from plants. *Antimicrob Agents Chemother.* 1991; 35:2463–6. [PMCFreearticle].
21. Kim HS, Lee BM. Inhibition of benzo [a] pyrene-DNA adduct formation by aloe barbadensis Miller. *Carcinogenesis.* 1997; 18:771–6.
22. Kim HS, Kacew S, Lee BM. In vitro chemopreventive effects of plant polysaccharides (Aloe barbadensis Miller, *Lentinus edodes*, *Ganoderma lucidum*, and *Curiousversicolor*) *Carcinogenesis.* 1999; 20:1637–40.
23. West DP, Zhu YF. Evaluation of aloe vera gel gloves in the treatment of dry skin associated with occupational exposure. *Am J Infect Control.* 2003; 31:40–2.
24. Zawahry ME, Hegazy MR, Helal M. Use of aloe in treating leg ulcers and dermatoses. *Int J Dermatol.* 1973; 12:68–73.
25. Ernst E, Fugh-Berman A. Methodological considerations in testing the efficacy of complementary/alternative treatments (CATs) *Int J Alt Comp Med.* 1998;16:8–10.
26. Vardy AD, Cohen AD, Tchetov T. A double-blind, placebo-controlled trial of Aloe vera.
27. Paulsen E, Korsholm L, Brandrup F. A double-blind, placebo-controlled study of a commercial Aloe vera gel in the treatment of slight to moderate psoriasis vulgaris. *J Eur Acad Dermatol Venereol.* 2005; 19:326–31.
28. Syed TA, Ahmad SA, Holt AH, Ahmad SH, Afzal M. Management of psoriasis with Aloe vera extract in a hydrophilic cream: A placebo-controlled, double-blind study. *Trop Med Int Health.* 1996; 1:505–9.
29. C. A. Newall, L. A. Anderson and J. D. Phillipson, “Herbal Medicines. A Guide for HealthCare Professionals,” The Pharmaceutical Press, London, 1996.
30. V.A. Ferro, F. Bradbury, P. Cameron, E. Shakir, S. R. Rahman and W. H. Stimson, “In Vitro Susceptibilities of *Shigella flexneri* and *Streptococcus pyogenes* to Inner Gel of Aloe barbadensis Miller,” *Antimicrobial Agents and Chemotherapy*, Vol. 47, No. 3, 2003, pp. 11371139.

Cite this article as:

Milind A., Zulphilar A., Tiwari H. and Chandrul K. K. (2024). A Review on *Aloe vera*. *Int. J. of Pharm. & Life Sci.*, 15(1): 24-29.

Source of Support: Nil

Conflict of Interest: Not declared

For reprints contact: ijplsjournal@gmail.com